AUTHOR INDEX, VOLUME 51

Aggarwal, S. L., Tilley, G. P., and Sweeting, O. J.: Changes in orientation of crystallites during stretching and relaxation of polyethylene films, 551
Allegra, G.: see Natta, G.
Baccaredda, M., and Butta, E.: Isophasic and first-order crystalline transitions in *trans*-1,4-polybutadiene, S39
Barbagallo, A.: see Natta, G.
Bassi, I. W.: see Natta, G.
Bates, N. A.: *335*
Beati, E., Severini, F., and Toffano, S.: Peroxidation of isotactic polybutene, 455
Benerito, R. R.: see McKelvey, J. B.
Bernardin, L. J.: *26*
Bernardini, F.: see Natta, G.
Berni, R. J.: see McKelvey, J. B.
Beurling, K.: see Schwenker, R. F., Jr.
Binaghi, M.: see Pregaglia, G.
Boudreau, R. J.: see Tobolsky, A. V.
Braun, D., Herner, M., und Kern W.: Herstellung kristallisierbarer polystyrole mit kaliumorganischen verbindungen, S2
Brounstein, C.: *312*
Butta, E.: see Baccaredda, M.
Carter, M. E.: Preparation, characterization, and properties of a deoxycellulose, 199
Chaudhuri, D. K. R., and Hermans, J. J.: Grafting onto cellulosic macromolecules through chain transfer to mercaptoethyl side chains. II. Mechanism of the process, 373
Ciampelli, F.: see Natta, G.
Clark, R. J.: Polyvinyl chloride spherulites, S71
Clayton, D. W.: *84*
Colvin, J. R.: see Khan, A. W.
——: *18*
Conrad, C. M.: *276*
Corradini, P.: see Natta, G.
Dall'Asta, G.: see Natta, G.
Danusso, F., Moraglio, G., and Gianotti, G.: *cis*-Tactic polybutadiene: Solubility, $[\eta]$–M relations in different solvents, and molecular conformation, 475
Eldridge, J. E., and Peticolas, L.: A test for the validity of the Rouse-Ferry equation, S35
Esmay, D. L.: Copolymerization of styrene and methyl methacrylate with a mixture of *n*-butyllithium and vanadium pentoxide, S50
Field, N. D.: Polymerization of 1-cyclopentene-1-carbonitrile, S68
Fiumani, D.: see Natta, G.
Fujimura, T., and Okamoto, S.: On the acetalization of regenerated cellulose with dialdehydes, 173
Fujiwara, S.: Nuclear magnetic resonance in polyvinyl alcohol irradiated by thermal neutrons, S15
Gabrail, S., and Prins, W.: The thermoelasticity of swollen cellulose filaments, 279
Gardner, P. E.: *207*
Gardon, J. L.: *230, 334, 357*
Gatti, G.: see Natta, G.
Geil, P. H.: Lamellar crystallization in low density polyethylene, S10
——, and Reneker, D. H.: Morphology of dendritic polyethylene crystals, S9
Gianotti, G.: see Danusso, F.
Gillaspie, A. C.: *357*
Glaudemans, C. P. J.: see Marchessault, R. H.
——: *122, 357, 381*
Grewal, G. S.: *261*
Hagan, L.: see Wellisch, E.
Harrington, K. J.: see Higgins, H. G.
Hatano, M.: see Kambara, S.
——, Kambara, S., and Okamoto, S.: Paramagnetic and electric properties of polyacetylene, S26
Heeschen, J. P.: see Lenz, R. W.
Hermans, J. J.: see Chaudhuri, D. K. R.
——: *276, 314, 371*
Herner, M.: see Braun, D.
Heyn, A. N. J.: *313*
Higgins, H. G., Stewart, C. M., and Harrington, K. J.: Infrared spectra of cellulose and related polysaccharides, 59
Huang, R. Y.-M.: *335, 357, 362*
Huggins, M. L.: *197, 230, 313, 347*
Iimura, K., and Takeda, M.: Temperature dependence of infrared spectrum of polyvinyl chloride in solution and stereoregularity of polymers, S51
Immergut, E. H., Kollman, G., and Malatesta, A.: Infrared spectrum of cationically produced polypropylene, S57
Inoue, M.: Heat of fusion and interaction of polyoxymethylene with diluents, S18
Kambara, S.: see Hatano, M.
——, Hatano, M., and Sakaguchi, K.: New catalysts for the polymerization of propylene oxide, S7
Keith, H. D., and Padden, F. J., Jr.: Note on the origin of twisting orientation in fibrillar crystals, S4
Kennedy, R. J.: *207*
Kern, W.: see Braun, D.
Khan, A. W., and Colvin, J. R.: Isolation of the precursor of bacterial cellulose, 1
Kinoshita, T. I.: see Schwenker, R. F., Jr.
Kitchen, W.: see Krässig, H.
Kobayashi, Y.: Gamma-ray–induced graft copolymerization of styrene onto cellulose and some chemical properties of the grafted polymer, 359
Kollman, G.: see Immergut, E. H.
Kotliar, A. M.: Correlation of the change in the intrinsic viscosity with random chain scission, S63
Krässig, H. A.: *58, 98, 335*
——, and Kitchen, W.: Factors influencing tensile properties of cellulose fibers, 123

Kurath, S.: see Swenson, H. A.
Lamb, G. E. R.: On the theory of right-angle peeling, S73
Leavitt, F. C.: Crosslinking of cellulosics by high energy radiation. II., 349
Lenz, R. W., and Heeschen, J. P.: The application of nuclear magnetic resonance to structural studies of carbohydrates in aqueous solution, 247
Liang, C. Y., and Watt, W. R.: Infrared spectrum of polypropylene prepared by a nonstereospecific catalyst, S14
Longi, P.: see Natta, C.
Luce, J. E., and Robertson, A. A.: The sorption of polymers on cellulose, 317
Lytton, M. R.: See Price, J. A.
Malatesta, A.: Reactions of titanium halides with organometallic compounds. II. The ionic nature of complex molecules obtained by reaction of Ti(IV) derivatives of some organometallic compounds, S45
——: see Immergut, E. H.
Marchessault, R. H., Morehead, F. F., Walter, N. M., Glaudemans, C. P. J., and Timell, E.: Morphology of xylan single crystals, S66
——: *18, 56*
Marker, L.: see Wellisch, E.
Mason, S. G.: *84, 245*
Matsuzko, A. J.: *357*
Mazzanti, G.: see Natta, G.
McKelvey, J. B., Benerito, R. R., Webre, B. G., and Berni, R. J.: The cellulose–butadiene diepoxide reaction and its effect on the crease resistance of cotton, 209
Meier, H.: The distribution of polysaccharides in wood fibers, 11
——: *25, 58*
Meller, A.: The effect of crystalline structure on the alkaline degradation of cellulose fibers, 99
Merrill, E. W., Ram, A., and Mickley, H. S.: Effect of shear on intrinsic viscosity of a whole polyisobutylene in cyclohexane, S43
Michie, R. I. C., Sharples, A., and Walter, A. A.: The nature of acid-sensitive linkages in cellulose, 85
Mickley, H. S.: see Merrill, E. W.
Moraglio, G.: see Danusso, F.
Morak, A. J.: see Swenson, H. A.
Morehead, F. F.: see Marchessault, R. H.
Morero, D.: see Natta, G.
Murakami, K.: see Sobue, H.
Mutton, E. B.: *197*
Natta, G., Corradini, P., and Allegra, G.: The different crystalline modifications of $TiCl_3$, a catalyst component for the polymerization of α-olefins. I: α-, β-, γ-$TiCl_3$. II: δ-$TiCl_3$, 399
——, ——, and Bassi, I. W.: Structure of isotactic polyaldehydes, 505
——, ——, Sianesi, D., and Morero, D.: Isomorphism phenomena in macromolecules, 527
——, Mazzanti, G., Longi, P., Dall'Asta, G., and Bernardini, F.: Stereospecific polymerization of 2-vinylpyridine, 487
——, ——, Valvassori, A., Sartori, G., and Barbagallo, A.: Kinetics of ethylene–propylene copolymerization, 429
——, ——, ——, ——, and Fiumani, D.: Ethylene–propylene copolymerization in the presence of catalysts prepared from vanadium triacetylacetonate, 411
——, Pasquon, I., Zambelli, A., and Gatti, G.: Highly stereospecific catalytic systems for the polymerization of α-olefins to isotactic polymers, 387
——, Porri, L., Corradini, P., Zanini, G., and Ciampelli, F.: Isotactic *trans*-1,4-polymers of 1,3-pentadiene, 463
Nelson, R.: The use of holocellulose to study cellulose supermolecular structure, 27
Noe, R. W.: see Rånby, B. G.
Okamoto, S.: see Fujimura, T.
——: see Hatano, M.
Pacsu, E.: see Schwenker, R. F., Jr.
Padden, F. J., Jr.: see Keith, H. D.
Parks, L. R.: *245, 314*
Pasquon, I.: see Natta, G.
Passaglia, E.: *172, 296, 347*
Peppel, W. J.: Water-soluble polyamides, S64
Perilä, O.: The chemical composition of carbohydrates of wood cells, 19
Peticolas, L.: see Eldridge, J. E.
Pfeiffer, R. H.: *381*
Porri, L.: see Natta, G.
Pregaglia, G., and Binaghi, M.: Stereospecific polymerization of allylbenzene, S61
Price, J. A., Lytton, M. R., and Rånby, B. G.: The influence of substituents on the properties of crystalline polyhydrocarbons. I. Methyl-substituted arylpropene and arylbutene polymers, 541
Prins, W.: see Gabrail, S.
——: *98, 245*
Ram, A.: see Merrill, E. W.
Rånby, B. G., and Noe, R. W.: Crystallization of cellulose and cellulose derivatives from dilute solution. I. Growth of single crystals, 337
——: see Price, J. A.
——: *9, 56, 207, 381*
Reneker, D. H.: see Geil, P. H.
Rinker, J. W.: *182*
Robertson, A. A.: see Luce, J. E.
Rosenthal, A. J.: Kinetics of the acid-catalyzed degradation of cellulose esters, 111
——: *98, 207, 313*
Russell, J.: *334*
Sakaguchi, K.: see Kambara, S.
Salovey, R.: Irradiation of single crystal polyethylene, S1
Sanyer, N.: *18, 97*
Sartori, G.: see Natta, G.
Schuerch, C.: *122, 198*
Schwenker, R. F., Jr., Kinoshita, T., Beurling, K., Pascu, E.: Preparation and characterization of sodium cellulosates, 185
Severini, F.: see Beati, E.
Sharples, A.: see Michie, R. I. C.
Sianese, D.: see Natta, G.
Simha, R., and Zimmerman, J. M.: Comment on sequence distribution in copolymers, S39
Sobue, H., and Murakami, K.: Criterion of polydispersity from the relaxation spectrum, S29
Sondheimer, E.: *8*
Stewart, C. M.: see Higgins, H. G.

Sweeting, O. J.: see Aggarwal, S. L.
——: see Wellisch, E.
Swenson, H. A., Morak, A. J., and Kurath, S.: Light scattering and ultracentrifugation studies of hemicelluloses, 231
——: *334*
Symons, N. K. J.: Crystals of polytetrafluoroethylene from solution, S21
Takeda, M.: see Iimura, K.
Tarkow, H.: *58, 296*
Taylor, L. D.: Preparation of dimethylaminoethyl α-chloroacrylate by alcoholysis, S70
Tilley, G. P.: see Aggarwal, S. L.
Timell, T. E.: see Marchessault, R. H.
——: *18, 26, 57, 122, 197, 245*
Tobolsky, A. V., and Boudreau, R. J.: Ionic copolymerization of substituted styrenes, S53
Toffano, S.: see Beati, E.
Tovey, H.: *183, 230*
Treiber, E.: The state of solution of technical viscose, 297
——: *57, 347*
Valvassori, A.: see Natta, G.
Walter, A. A.: see Michie, R. I. C.
Walter, N. M.: see Marchessault, R. H.
Watt, W. R.: see Liang, C. Y.
Webre, B. G.: see McKelvey, J. B.
Wellisch, E., Hagan, L., Marker, L., and Sweeting, O. J.: Interaction of cellulose with small molecules. II. Ethylenediamine, ethylene glycol, and tetramethylene sulfone, 263
Willard, J. J., *122, 206*
Zambelli, A.: see Natta, G.
Zanini, G.: see Natta, G.
Zimmerman, J. M.: see Simha, R.

SUBJECT INDEX, VOLUME 51

Acetalization, with dialdehydes, of regenerated cellulose, 173
Adhesion, theory of right-angle peeling, S73
Alcoholysis, preparation of dimethylaminoethyl α-chloracrylate, S70
Allylbenzene, stereospecific polymerization, S61
Arylbutene polymers, methyl-substituted, influence of substituents, 541
Arylpropene polymers, methyl-substituted, influence of substituents, 541
Bacterial cellulose precursor, isolation, 1
n-Butyllithium, and vanadium pentoxide, in copolymerization of styrene and methyl methacrylate, S50
Carbohydrates in wood cells, 19
Catalysts, new, polymerization of propylene oxide, S7
  nonstereospecific, polypropylene preparation, infrared spectrum, S14
  for α-olefins to isotactic polymers, 387
Cellulosates, sodium, preparation and characterization, 185
Cellulose, and derivatives, crystallization from dilute solution, 337
  bacterial, 1
  esters, kinetics of acid-catalyzed degradation, 111
  fibers, factors influencing tensile properties, 123
  filaments, thermoelasticity, 279
  graft copolymerization with styrene, 359
  interaction with small molecules, 263
  regenerated, acetalization with dialdehydes, 173
  sorption of polymers, 317
  supermolecular structure, 27
Cellulose–butadiene diepoxide reaction, effect on cotton crease resistance, 209
Cellulosic macromolecules, grafting with styrene, 373
Cellulosics, crosslinking by high energy radiation, 349
Chain scission, random, correlation with change in intrinsic viscosity, S63
Copolymerization, ethylene–propylene, 411
  ionic, substituted styrenes, S53
  kinetics, 429
  styrene onto cellulose, 359
  styrene–methyl methacrylate, S50
Copolymers, sequence distribution in, S39
Cotton crease resistance, cellulose–butadiene diepoxide reaction, 209
Crease resistance, cotton, cellulose–butadiene diepoxide reaction, 209
Crosslinking, of cellulosics by high energy radiation, 349
Crystalline modifications, $TiCl_3$ catalyst component, 399
Crystalline polyhydrocarbons, influence of substituents, 541
Crystalline structure, effect on degradation of cellulose fibers, 99
Crystalline transitions, in *trans*-1,4-polybutadiene, S39
Crystallites, changes in orientation, polyethylene films, 551
Crystallization, cellulose and derivatives from dilute solution, 337
  lamellar, low density polyethylene, S10
Crystals, dendritic, in polyethylene, 569
  fibrillar, origin of twisting orientation, S4
  growth, cellulose and derivatives from dilute solution, 337
  irradiation in polyethylene, S1
  morphology, in xylan, S66
  polytetrafluoroethylene, grown from solution, S21
1-Cyclopentene-1-carbonitrile, polymerization, S68
Degradation, alkaline, cellulose fibers, 99
  cellulose esters, acid-catalyzed, 111
Deoxycellulose, 199
Dialdehydes, in acetalization of regenerated cellulose, 173
Dimethylaminoethyl α-chloroacrylate, preparation by alcoholysis, S70
Ethylene glycol, interaction with cellulose, 263
Ethylene–propylene copolymerization, 411
  kinetics, 429
Ethylenediamine, interaction with cellulose, 263
Graft copolymerization, styrene onto cellulose, 359
  styrene onto cellulosic macromolecules, 373
Hemicelluloses, studies of, 231
Holocellulose, to study supermolecular structure, 27
Infrared spectra, cellulose and related

polysaccharides, 59
polypropylene cationically produced, S57
polypropylene by nonstereospecific catalyst, S14
temperature dependence, polyvinyl chloride in solution, S51
Ionic copolymerization, substituted styrenes, S53
Ionic nature, complex molecules, Ti(IV) derivatives and organometallic compounds, S45
Isomorphism, in macromolecules, 527
Isotactic polymers, highly stereospecific catalytic systems, 387
polyaldehydes, structure, 505
polybutene, peroxidation, 455
trans-1,4 polymers of 1,3-pentadiene, 463
Kinetics, acid-catalyzed degradation, cellulose esters, 111
Light scattering, hemicelluloses, 231
Linkages in cellulose, acid-sensitive, 85
Mercaptoethyl side chains, grafting onto cellulosic macromolecules through chain transfer, 373
Methyl methacrylate, copolymerization with styrene, S50
Molecular conformation, *cis*-tactic polybutadiene, 475
Molecular weight–viscosity relations, *cis*-tactic polybutadiene, 475
α-Olefin polymerization, crystalline modifications of $TiCl_3$ catalyst component, 399
to isotactic polymers, catalytic systems, 387
1,3-Pentadiene, isotactic *trans*-1,4, 463
Peroxidation, isotactic polybutene, 455
Polyacetylene, paramagnetic and electric properties, S26
Polyaldehydes, isotactic, structure, 505
Polyamides, water-soluble, S64
Polybutadiene, *cis*-tactic, 475
trans-1,4-Polybutadiene, crystalline transitions, S39
Polybutene, isotactic, peroxidation, 455
Polydispersity, criterion from relaxation spectrum, S29
Polyethylene, films, changes in orientation of crystallites, 551
low density, lamellar crystallization, S10
morphology of dendritic crystals, 569
single-crystal, irradiation, S1
Polyhydrocarbons, crystalline, influence of substituents, 541
Polyisobutylene, in cyclohexane, effect of shear on intrinsic viscosity, S43
Polyoxymethylene, heat of fusion and interaction with diluents, S18
Polypropylene, cationically produced, infrared spectrum, S57
by nonstereospecific catalyst, infrared spectrum, S14
Polysaccharides, distribution in wood fibers, 11
infrared spectra, 59
Polystyrene, synthesis of crystallizable, S2
Polytetrafluoroethylene, crystals grown from solution, S21
Polyvinyl alcohol, irradiated by thermal neutrons, NMR, S15
Polyvinyl chloride, spherulites, S71
temperature dependence of infrared spectrum and stereoregularity, S51
Propylene–ethylene, copolymerization, 411
kinetics, 429
Propylene oxide, new catalysts for polymerization, S7
Radiation, gamma-ray–induced graft, styrene onto cellulose, 359
high energy, crosslinking of cellulosics, 349
Radiation, polyethylene, single-crystal, S1
polyvinyl alcohol by thermal neutrons, NMR, S15
Relaxation spectrum, criterion of polydispersity, S29
Rouse-Ferry equation, test for validity, S35
Sequence distribution, in copolymers, S39
Shear, effect on intrinsic viscosity, polyisobutylene in cyclohexane, S43
Side chains, mercaptoethyl, in graft of styrene onto cellulosic macromolecules 373
Solubility, *cis*-tactic polybutadiene, 475
Solution, state of, technical viscose, 297
Sorption, of polymers on cellulose, 317
Spherulites, polyvinyl chloride, S71
Stereoregularity, temperature dependence, polyvinyl chloride in solution, S51
Stereospecific catalytic systems, α-olefins to isotactic polymers, 387
Stereospecific polymerization, allylbenzene, S61
2-vinylpyridine, 487
Stress-strain, right-angle peeling, S73
Structure, isotactic polyaldehydes, 505
Styrene, copolymerization with methyl methacrylate, S50
grafted onto cellulose, 359
onto cellulosic macromolecules, 373
substituted, ionic copolymerization, S53
Temperature dependence, infrared spectrum and stereoregularity of polyvinyl chloride in solution, S51
Tensile properties, cellulose fibers, factors influencing, 123
Tetramethylene sulfone, interaction with cellulose, 263
Thermoelasticity, swollen cellulose filaments, 279
$TiCl_3$ catalyst component, crystalline modifications, 399
Titanium halides, reactions with organometallic compounds, S45
Ultracentrifugation studies, hemicelluloses 231
2-Vinylpyridine, stereospecific polymerization, 487
Vanadium pentoxide, and *n*-butyllithium, in copolymerization of styrene and methyl methacrylate, S50
Vanadium triacetylacetonate, catalysts in ethylene–propylene copolymerization, 411
Viscose, technical, state of solution, 297
Viscosity, intrinsic, change correlated with random chain scission, S63
effect of shear, polyisobutylene in cyclohexane, S43
and molecular weight relations, *cis*-tactic polybutadiene, 475
Wood cells, carbohydrates in, 19
Wood fibers, polysaccharide distribution, 11
Xylan, morphology of single crystals, S66